PTO/SB08A (04-3)
Approved for use through 040302030 0MB 0851 0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

C	omplete if Known
Application Number	10/561,121
Filing Date	May 23, 2006
First Named Inventor	Alexander Deiters
Group Art Unit	16526
Examiner Name	Unassigned Kagnew Gebreyes
Attorney Docket Number	54-000251US
Date Submitted	August 31, 2006
	Application Number Filing Date First Named Inventor Group Art Unit Examiner Name Attorney Docket Number

		U.	S. PATENT DOCUMENTS		
Examiner Cite	U.S. Patent Docum Number	Kind Code	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document	Pages, Columns, lines, Where Relevant Passages
Initials No.		(if known)		MM-DD-YYYY	or Relevant Figures Appeal

				FOREIGI	N PATENT DOCUMEN	TS		
Examiner Initials	Cite No.	Office	Foreign Patent Docume Number	Kind Code (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	т
	1	wo	2002/086075		The Scripps Research Institute	10-31-2002		
	2	wo	2002/085923		The Scripps Research Institute	10-31-2002		

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	\neg
Examiner	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the lattice (when appropriate), title of the lattice (when appropriate) are it is it is called the country where published.	_
initials	3	Anderson et al., (2002) Exploring the Limits of Codon and Anticodon Size, Chemistry and Biology, 9:237-244	
	4	Blake (2001) Cellular screening assays using fluorescence microscopy Curr. Opin. Pharmacol., 1:533-539	
	5	Bolletta, F. et al., (1996) Synthesis and Photophysical Properties of Fluorescent Derivatives of Methylmercury, Organometallics 15:2415-17	
	6	Carboni, B et al., (1993) Aliphatic Amino Azides as Key Building Blocks for Efficient Polyamine Syntheses, J. Org. Chem. 58:3736-3741	
	7	Chin et al., (2002), Addition of p-Azido-L-phenylalanine to the Genetic code of Escherichia coli, J. Am. Chem. Soc. 124:9026-9027	
	8	Chin and Schultz, (2002), In vivo Photocrosslinking with Unnatural Amino Acid Mutagenesis, Chem BioChem 11:1135-1137	
	9	Chin, et al., (2002), Addition of a Photocrosslinker to the Genetic Code of Escherichia coli, Proc. Natl. Acad.Sci. U. S. A. 99:11020-11024	
	10	Chin, et al., (2003) Progress toward an expanded eukaryotic genetic code, Chem, Biol., 10(6):511-519	
	11	Chin, et al., (2003) An expanded eukaryotic genetic code, Science, 301(5635):964-7	

Examiner	Date
Signature	Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO/SB/08A (04-03)

Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number Complete if Known Substitute for form 1449A-B/PTO Application Number 10/561,121 INFORMATION DISCLOSURE Filing Date May 23, 2006 First Named Inventor **Alexander Deiters** STATEMENT BY APPLICANT Group Art Unit 16526 UnassignedKagnew Gebreyesus Examiner Name (use as many sheets as necessary) Attorney Docket Number 54-000251US Date Submitted August 31, 2006

12	Cornish, et al., (1996) Site-Specific Protein Modification Using a Ketone Handle, Journal of the American Chemical Society 118:8150-8151			
13	Crisp, G. T.; & Gore, J. (1997) Preparation of Biological Labels with Acetylenic Linker Arms, Tetrahedron 53:1505-1522			
14	Feng et al., (2003), Expanding tRNA recognition of a tRNA synthetase by a single amino acid change, PNAS 100(10): 5676-5681.			
15	Forster et al., (2003) Programming peptidomimetic synthetases by translating genetic codes designed de novo PNAS 100(11):6353-6357			
16	Francklyn et al., (2002), Aminoacyl-tRNA synthetases: Versatile players in the changing theater of translation; RNA, 8:1363-1372			
17	Griffin, et al., (1998) Specific covalent labeling of recombinant protein molecules inside live cells, Science 281:269-272.			
18	Hamano-Takaku et al., (2000) A mutant Escherichia coli Tyrosyl-IRNA Synthetase Utilizes the Unnatural Amino Acid Azatyrosine More Efficiently than Tyrosine, <u>Journal of Biological</u> (hemistry, 275(51)-40324-40328			
19	Kiga et al. (2002), An engineered Escherichia coli tyrosyl-IRNA synthetase for site-specific incorporation of an unnatural amino acid into proteins in eukaryotic translation and its application in a wheat germ cell-free system, PNAS 99(15): 9715-9729 pages 21-23 mi.ssi.m.			
20	Kiick et al., (2002) Incorporation of azides into recombinant proteins for chemoselective modification by the Staudinger ligitation, PNAS 99:19-24			
21	Lemineux, & Bertozzi, (1996) Chemoselective ligation reactions with proteins, oligosaccharides and cells, TIBTECH, 16:506-513			
22	Liu, D.R. & Schultz, P.G. (1999) Progress toward the evolution of an organism with an expanded genetic code. PNAS United States 96:4780-4785			
23	Magliery, (2001) Expanding the Genetic Code: Selection of Efficient Suppressors of Four- base Codons and Identification of 'Shifty' Four-base Codons with a Library Approach in Escherichia coli, <u>J. Mol. Biol.</u> 307: 755-			
24	Mahal, et al., (1997) Engineering chemical reactivity on cell surfaces through oligosaccharide biosynthesis, Science, 276:1125-1128			
25	Padwa, A. (1991) Intermolecular 1,3-Dipolar Cycloaddtions in Comprehensive Organic Synthesis, Vol. 4, Ed. Trost, B. M., Pergamon, Oxford, p. 1069-1109			
26	M. Pasternak, et al., (2000), A new orthogonal suppressor tRNA/aminoacyl-tRNA synthetase pair for evolving an organism with an expanded genetic code, Helvetica Chemica Acta 83:2277			
Examiner Signature	Date Considered			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO/SB/08A (04-03)

Approved for use through 0.430/2003. OMB 085-1031.

U.S. Patient and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449A-B/PTO Complete if Known Application Number 10/561,121 INFORMATION DISCLOSURE May 23, 2006 Filing Date STATEMENT BY APPLICANT **Alexander Deiters** First Named Inventor Group Art Unit 16526 Unassigned Kagnew Gebreyesus **Examiner Name** (use as many sheets as necessary) Attorney Docket Number 54-000251US August 31, 2006 Date Submitted

27 Rostovtsev, et al., (2002) A stepwise Huisgen cycloaddition process: copper(I)-catalyzed regioselective "ligation" of azides and terminal alkynes, Angew. Chem. Int. Ed. 41:2596-2599 28 Speers, et al., (2003) Activity-based protein profiling in vivo using a copper(I)-catalyzed azide-alkyne (3 + 2) cycloaddition, J. Am. Chem. Soc., 125:4686-4687 29 Tornee, et al., (2002) Peptidotriazoles on solid phase: [1,2,3]-triazoles by regiospecific copper(I)-catalyzed 1,3-dipolar cycloadditions of terminal alkynes to azides. Org. Chem. 67:3057-3084 30 Wang, et al., (2001), Expanding the genetic code of Escherichia coli, Science 292:498-500 31 Wang, et al., (2002), Adding L-3-(2-naphthy)alanine to the genetic code of E-coli, J. Am. Chem. Soc. 124:1836-1837 32 Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10 33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc. Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 36 Zacharias, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo, Biochemistry and the site-specific modification of proteins in vivo, Biochemistry and Scherce and selective incorporation of alkenes into proteins in vivo, Biochemistry and Scherce and Sc			
alkyne [3 + 2] cycloaddition, J. Am. Chem. Soc., 125:4686-4687 29 Tornee, et al., (2002) Peptidotriazoles on solid phase: [1,2,3]-triazoles by regiospecific copper(I)-cataltyzed 1,3-dipolar cycloadditions of terminal alkynes to azides, Org. Chem. 67:3057-3064 30 Wang, et al., (2001), Expanding the genetic code of Escherichia coli, Science 292:498-500 31 Wang, et al., (2002), Adding L-3-(2-naphthy)alanine to the genetic code of E-coli, J. Am. Chem. Soc. 124:1836-1837 32 Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10 33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc. Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol. 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	27		
copper(i)-catalyzed 1,3-dipolar cycloadditions of terminal alkynes to azides, Org. Chem. 67:3057-3064 30 Wang, et al., (2001), Expanding the genetic code of Escherichia coli, Science 292:498-500 31 Wang, et al., (2002), Adding L-3-(2-naphthyl)alanine to the genetic code of E-coli, J. Am. Chem. Soc. 124:1896-1837 32 Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10 33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc. Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(i)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	28		
31 Wang, et al., (2002), Adding L-3-(2-naphthyl)alanine to the genetic code of E-coli, J. Am. Chem. Soc. 124:1836-1837 32 Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10 33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc., Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-2111 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English, 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	29	copper(i)-catalyzed 1,3-dipolar cycloadditions of terminal alkynes to azides, Org. Chem.	
Chem. Soc. 124:1836-1837 32 Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10 33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc, Natt. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	30	Wang, et al., (2001), Expanding the genetic code of Escherichia coli, Science 292:498-500	
33 Wang, et al., (2003) Addition of the keto functional group to the genetic code of Escherichia coli, Proc. Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English, 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	31		
coli, Proc. Natl. Acad. Sci., 100:56-61 34 Wang, et al., (2003) Bioconjugation by copper(I)-catalyzed azide-alkyne [3 + 2] cycloaddition. J. Am. Chem. Soc., 125:3192-3193 35 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-2111 36 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	32	Wang and Schultz, (2002), Expanding the Genetic Code, Chem. Comm. 1-10	
J. Am. Chem. Soc., 125:3192-3193 Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211 Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, Curr. Opin. Neurobiol., 10:416-421 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, Angewandte Chemie. International Ed. in English 41:2840-2842 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	33		
Zacharias, et al., (2000) Recent advances in technology for measuring and manipulating cell signals, <u>Curr. Opin. Neurobiol.</u> 10:416-421 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, <u>Angewandte Chemie. International Ed. in English</u> 41:2840-2842 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	34		
signals, <u>Curr. Opin. Neurobiol.</u> , 10:416-421 37 Zhang et al., (2002), The selective incorporation of alkenes into proteins in Escherichia coli, <u>Angewandte Chemie. International Ed. in English</u> 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	35	Wouters, et al., (2001) Imaging biochemistry inside cells, Trends in Cell Biology 11:203-211	
Angewandte Chemie. International Ed. in English 41:2840-2842 38 Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo,	36		
	37		
<u>Biochemistry</u> , 42:0703-0740	38	Zhang, et al., (2003) A new strategy for the site-specific modification of proteins in vivo, Biochemistry, 42:6735-6746	

Examiner Signature	/Kagnew Gebreyesus/	Date Considered	10/19/2008

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.